



1 • REMOTE

7 Input Modes
6 Programmable Sound Experience
Volume Control. Microphone Volume
Sub Woofer Volume Control
Center Speaker Volume Control
Echo Effects Volume Control


Dimension (mm): H 138 · W 45 · D 16
Power: 2 · AAA Battery



2 • WIRELESS MICROPHONE (BASIC)

LCD Display. Battery Indicator | Channel Indicator
Frequency: 740 ~ 790 Mhz UHF
100 Frequency Per Mic Channel | Mic A and B
Dynamic Range: 100dB
THD(Total Harmonic Distortion): < 5% (1kHz,1W)
Working Range: 50m (Without obstacles)
Channel Pairing: Radio Frequency


Power: 2 · AAA Battery
Battery Life: 8 hrs



5 • Starlet Satellite

THD (Total Harmonic Distortion): < 5% (1kHz,1W)
Power: 40W
5 · Satellite Speakers
2 · 2.5" Driver Tweeter
Sensitivity 88dB
Frequency Response: 300 Hz - 20KHz
High Graded Polymer ABS Plastic, Aluminium Grill


Cabinet Colour Choice: White | Silver | Black
Dimension (mm): H 123 · W 61 · D 83
Weight: 0.5 kg
Wall Mount Bracket | Floor Stand



1 · 10" Bass Module

THD (Total Harmonic Distortion): < 5% (1kHz,1W)
Power: 100W
1 · 10" Driver
Sensitivity 84dB
Frequency Response: 37 Hz - 500Hz
Side Ported Passive Woofer


Cabinet Colour Choice: Black
Dimension (mm): H 328 · W 363 · D 340
Weight: 12 kg
Wall Mount Bracket | Floor Mount



1 · Main Module

60W · 7 | 120W · 1 Woofer
3 · HDMI Input | Ver 2.0 | HDCP 2.2 | CEC - enabled
4K Pass Thru (ARC)
Bluetooth 4.2 (SBC and AAC Decoder)
1 · USB-B (PC Control) 1 · RCA Input
1 · Coaxial | 1 · Toslink
2 · 1/4" Microphone Input
15 Band Parametric Equaliser for Music
15 Band Parametric Equaliser for Microphone (Individual) input
15 Band Parametric Equaliser for Left/Right/Center
15 Band Parametric Equaliser for Surround Left/Right/Music
15 Band Parametric Equaliser for Surround Back Left/Right
5 Band Parametric Equaliser for Echo / Reverb
6 Band Parametric Equaliser for LFE
Precise Time Delay for Reverb/Echo
Individual Gain Control for all input Source
HDMI + Audio Mix Output
IEC Power Input

Colour Choice: Black
Dimension (mm): H 86 · W 430 · D 340
Weight: 4.5 kg
**Wall Mount Bracket | Floor Mount



Package Size Dimension (mm): H 495 · W 426 · D 480 | Weight: 22 kg | FC20: 240 | FCL40: 500
Find out more information at www.thunderstone.technology

Mounting System

KMG-B2 is the default wall/Ceiling mounting system
KMG 3.1 Basic wiring and installation \$580



KMG-B1



KMG-B2




KMG-SS1




KMG-LS1

KMG - B2	\$16/pc
KMG - B1	\$20/pc
KMG - SS1	\$29/pc
KMG - LS1	\$65/pc



K Bubbles CX-Pro2-700 - Server | K Bubbles Touch 3 - Wireless Tablet



K Bubbles CX- Pro2 - 700 - Server

Arm Cortex-A53 H700 Chipset
1.5Ghz GPU
8GB DDR Ram
64GB Flash Drive EMMC
2TB SSD Harddisk (Main storage)
Dual Band Wifi 2.4Ghz & 5Ghz
LAN 10/100/1000 Mbps | Bluetooth 5.4
1x RCA Out | 1 X RCA In | 1 X Dig Out
1 x S/PDIF | 3 X RS-232 | 2 X MIC IN
1 X HDMI 4k 60Hz | 1 X TF SLOT | 2 X USB
12V 4A

Cabinet Colour Choice: Black
Rack Mounting Flanges Size: 1U
Dimension (mm): H 53 · W 430 · D 255

KEY FEATURES

- Fully integrated Tablet with Server
- Full Control integration with KamoGa AVR
- YouTube Karaoke Enabled
- QR Song Search
- Multi Language Support
- WIFI - BLE - LAN Support



ISO VIEW



FRONT VIEW



REAR VIEW



K Bubbles Touch 3

1200 x 2000 | 10.36" CTS Screen
7000 mAh Li-Po Battery
5V/2A USB-C
Quad Core Arm Cortex A53 MPCore TM 1.5Ghz
GPU ARM Mali-G72 MP3 650Mhz
DDR3 4GB
64GB EMMC Flash Drive
BT 5.0
Android 11.0 | Launcher Flashed to TS Software

Cabinet Colour Choice: Gun Metal Grey
Dimension (mm): H 247.3 · W 157.1 · D 7.7
Weight: 0.5 kg
Wall Mount Bracket | Table Stand

KEY FEATURES


- WOL - Wake on Lan.
- System wakes up Server in 60s
- System fully controls KamoGa amplifier
- Multi Language Support
- Voice AI Recognition function
- Magnetic changing base
- USB - C Port blocking - Cyber Security Function
- Interface Designed by Vertis



KBT-3
With Power Bank Dock
10,000 mAh Capacity
Require 5V-2A USB-C



Magnetic Wall Dock
Require 240V A/C
Standard 85 x 85mm point




Power Bank Dock
10,000 mAh Capacity
Require 5V-2A USB-C
Dimension (mm) : H130 · W115 · D109


Package Size Dimension (mm): H 495 · W 116 · D 362 (Server) H 50 · W205 · D289 (Tablet)
Find out more information at www.thunderstone.technology

Mounting System

KMG-B2 is the default wall/Ceiling mounting system
KMG 3.1 Basic wiring and installation \$580



KBT-3
Power Bank
Dock



KBT-3
Magnetic
Wall Dock

